

## EAST Search History

| Ref # | Hits  | Search Query  | DBs   | Default Operator | Plurals | Time Stamp          |
|-------|-------|---|---|------------------|---------|---------------------|
| L1    | 14087 | (709/201-203).CCLS.   | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT                      | OR               | OFF     | 2009/03/12<br>11:47 |
| L2    | 7888  | SIP SAME CALL\$3 SAME<br>(TERMINAL DEVICE USER<br>NODE )  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2009/03/12<br>11:47 |
| L3    | 0     | 1 SAME 2  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2009/03/12<br>11:47 |
| L4    | 121   | 1 AND 2   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2009/03/12<br>11:47 |
| L5    | 1691  | 1 AND ((STOR\$3 SAVE\$<br>DATABASE PREVIOUS) same<br>parameter)   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2009/03/12<br>12:17 |
| L6    | 68    | 1 AND (((STOR\$3 SAVE\$<br>DATABASE PREVIOUS) same<br>parameter) same ((session<br>call setup) with (ID<br>IDENTIFICATION INDICATOR<br>IDENTIFIER NUMBER))) | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2009/03/12<br>12:19 |
| L7    | 5     | (database same distribu\$5)   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2009/03/12<br>13:08 |
| L8    | 44    | ((database memory server)<br>same distribu\$5)  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2009/03/12<br>13:13 |
| L9    | 1     | 1 and ((database memory<br>server) same distribu\$5)  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2009/03/12<br>13:18 |

|     |    |  |   |    |     |                     |
|-----|----|--|---|----|-----|---------------------|
| L10 | 9  | 1 and ((database memory server) and distrubu\$5)   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/03/12<br>13:18 |
| L11 | 9  | 1 and ( distrubu\$10)  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/03/12<br>13:23 |
| L12 | 3  | ("7180879").PN.  | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT                      | OR | OFF | 2009/03/12<br>13:24 |
| L13 | 2  | ("5465300").PN.  | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT                      | OR | OFF | 2009/03/12<br>13:36 |
| L14 | 2  | ("20050027852").PN.  | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT                      | OR | OFF | 2009/03/12<br>14:19 |
| L15 | 2  | ("7089027").PN.  | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT                      | OR | OFF | 2009/03/12<br>14:22 |
| L16 | 2  | ("6914964").PN.  | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT                      | OR | OFF | 2009/03/12<br>14:31 |
| L17 | 2  | ("20070014251").PN.  | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT                      | OR | OFF | 2009/03/12<br>14:34 |
| L18 | 2  | ("5661806").PN.  | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT                      | OR | OFF | 2009/03/12<br>14:41 |
| L19 | 36 | "5428684"  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/03/12<br>14:43 |
| L20 | 2  | ("5428684").PN.  | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT                      | OR | OFF | 2009/03/12<br>14:43 |
| L21 | 2  | ("20040114532").PN.  | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT                      | OR | OFF | 2009/03/12<br>14:45 |
| L22 | 2  | "20030188010"  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/03/12<br>14:47 |
| L23 | 27 | (stor\$3 sav\$3 cach\$4<br>database memory) near2<br>((previous old ) near2<br>(parameter)) same (node<br>terminal station mobile<br>device end\$1point) | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/03/12<br>15:02 |

|     |      |  |   |    |     |                     |
|-----|------|--|---|----|-----|---------------------|
| L24 | 2    | ("20030035393").PN.  | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT                      | OR | OFF | 2009/03/12<br>15:37 |
| L25 | 2    | ("5465300").PN.  | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT                      | OR | OFF | 2009/03/12<br>15:57 |
| L26 | 86   | MSD NEAR2 NUMBER   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/03/12<br>17:39 |
| L27 | 2    | MSD NEAR2 NUMBER SAME<br>(NODE TERMINAL DEVICE<br>END MOBILE) SAME (SIP<br>MESSAGE CALL) | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/03/12<br>17:39 |
| L28 | 24   | MSD NEAR2 NUMBER AND<br>(NODE TERMINAL DEVICE<br>END MOBILE) AND (SIP<br>MESSAGE CALL)   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/03/12<br>17:40 |
| L29 | 2    | ("20050060411").PN.  | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT                      | OR | OFF | 2009/03/12<br>17:47 |
| S1  | 2    | ("6914879").PN.  | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT                      | OR | OFF | 2009/03/07<br>12:53 |
| S2  | 2    | ("20070130301").PN.  | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT                      | OR | OFF | 2009/03/07<br>13:03 |
| S3  | 2    | S2 and (network adj<br>management)   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/03/07<br>13:03 |
| S4  | 2    | ("20070218924").PN.  | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT                      | OR | OFF | 2009/03/07<br>16:08 |
| S5  | 2    | key and S4   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/03/07<br>16:08 |
| S6  | 47   | ("ITU-T H.245")  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/03/07<br>16:11 |
| S7  | 4326 | (SET\$3UP near3 call\$1).AB.   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/03/07<br>16:59 |

|     |     |  |   |    |     |                     |
|-----|-----|--|---|----|-----|---------------------|
| S8  | 204 | S7 AND (ITU-T "H.245")   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/03/07<br>16:59 |
| S9  | 137 | S8 AND (parameter\$1<br>(telephone near2 number) ID<br>identification) | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/03/07<br>17:16 |
| S10 | 7   | S9 and (370/230.ccls.)   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/03/07<br>17:29 |
| S11 | 4   | S9 and (370/252.ccls.)   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/03/07<br>17:32 |
| S12 | 0   | S9 and (370/261.ccls.)   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/03/07<br>17:34 |
| S13 | 0   | S9 and (370/271.ccls.)   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/03/07<br>17:34 |
| S14 | 0   | S9 and (370/278.ccls.)   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/03/07<br>17:34 |
| S15 | 0   | S9 and (370/277.ccls.)   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/03/07<br>17:34 |
| S16 | 8   | (call near2 set\$3up) and<br>(370/277.ccls.)                           | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/03/07<br>17:34 |
| S17 | 220 | (call near2 set\$3up) and<br>(370/230.ccls.)                           | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/03/07<br>17:38 |

|     |       |  |   |    |    |                     |
|-----|-------|--|---|----|----|---------------------|
| S18 | 91361 | (Determin\$3 verify\$3 decid\$3<br>conclud\$3 establish\$3 resolv<br>\$3 check\$3 analyz\$3 examin<br>\$3) same (session call\$3)<br>same (parameter\$2<br>consideration\$1 limitation\$2<br>requirement\$2 factor\$2)   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/03/07<br>18:24 |
| S19 | 20380 | (Determin\$3 verify\$3 decid\$3<br>conclud\$3 establish\$3 resolv<br>\$3 check\$3 analyz\$3 examin<br>\$3) with (session call\$3) with<br>(parameter\$2 consideration<br>\$1 limitation\$2 requirement<br>\$2 factor\$2)   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/03/07<br>18:25 |
| S20 | 626   | (Determin\$3 verify\$3 decid\$3<br>conclud\$3 establish\$3 resolv<br>\$3 check\$3 analyz\$3 examin<br>\$3) with (session call\$3) with<br>(parameter\$2 consideration<br>\$1 limitation\$2 requirement<br>\$2 factor\$2) same (call near2<br>set\$3up)   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/03/07<br>18:25 |
| S21 | 468   | (Determin\$3 verify\$3 decid\$3<br>conclud\$3 establish\$3 resolv<br>\$3 check\$3 analyz\$3 examin<br>\$3) with (session call\$3) with<br>(parameter\$2 consideration<br>\$1 limitation\$2 requirement<br>\$2 factor\$2) with (call near2<br>set\$3up)   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/03/07<br>18:26 |
| S22 | 6     | (Determin\$3 verify\$3 decid\$3<br>conclud\$3 establish\$3 resolv<br>\$3 check\$3 analyz\$3 examin<br>\$3) with (session call\$3) with<br>(parameter\$2 consideration<br>\$1 limitation\$2 requirement<br>\$2 factor\$2) with (call near2<br>set\$3up) same ((telephone<br>near3 number)(telephone<br>near2 ( ID identification))<br>(session near2 (key ID<br>identification))) | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/03/07<br>18:28 |
| S23 | 208   | (Determin\$3 verify\$3 decid\$3<br>conclud\$3 establish\$3 resolv<br>\$3 check\$3 analyz\$3 examin<br>\$3) with (session call\$3) with<br>(parameter\$2 consideration<br>\$1 limitation\$2 requirement<br>\$2 factor\$2) with (call near2<br>set\$3up) and ((telephone<br>near3 number)(telephone<br>near2 ( ID identification))<br>(session near2 (key ID<br>identification)))  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/03/07<br>18:31 |

|     |    |   |   |    |     |                     |
|-----|----|---|---|----|-----|---------------------|
| S24 | 24 | ("20020075880"   "20020159442"   "5867562"   "6622016"   "6711417"   "6845092"   "6888803"   "6910074"   "7043241"   "7072653"   "7184418"   "7356001").PN. | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2009/03/08<br>11:39 |
| S25 | 4  | S24 and (setup near1 call\$1)   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2009/03/08<br>11:39 |
| S26 | 24 | ("20020075880"   "20020159442"   "5867562"   "6622016"   "6711417"   "6845092"   "6888803"   "6910074"   "7043241"   "7072653"   "7184418"   "7356001").PN. | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2009/03/08<br>11:45 |
| S27 | 24 | ("20020075880"   "20020159442"   "5867562"   "6622016"   "6711417"   "6845092"   "6888803"   "6910074"   "7043241"   "7072653"   "7184418"   "7356001").PN. | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2009/03/08<br>11:48 |
| S28 | 4  | S27 and (call near setup)   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2009/03/08<br>11:49 |
| S29 | 4  | ("2003035393").PN.  | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT                      | OR | OFF | 2009/03/08<br>11:53 |
| S30 | 2  | ("20030035393").PN.   | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT                      | OR | OFF | 2009/03/08<br>11:53 |
| S31 | 5  | ("2003/0035393").URPN.  | USPAT   | OR | OFF | 2009/03/08<br>11:54 |
| S32 | 2  | ("5943327").PN.   | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT                      | OR | OFF | 2009/03/08<br>12:06 |
| S33 | 12 | ("20030032430"   "5845785"   "6088337"   "6195546"   "6621809"   "6714789").PN.   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/03/08<br>12:08 |
| S34 | 3  | S33 and (call near setup)   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/03/08<br>12:09 |

|     |     |  |   |    |     |                     |
|-----|-----|--|---|----|-----|---------------------|
| S35 | 833 | (Determin\$3 decid\$3 find\$3 look\$3 search\$3 examin\$3 inspect\$3 resolv\$3) same (session call) same (Parameter\$1 limit\$1 constraint\$1 factor\$1 requirement\$1 consideration \$1 restriction\$1) with ((session near1 (ID identification)) (telephone near2 number) (transaction near2 (ID identification)))                                   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/03/08<br>12:23 |
| S36 | 951 | (Determin\$3 decid\$3 find\$3 look\$3 search\$3 examin\$3 inspect\$3 resolv\$3) same (session call) same (Parameter\$1 limit\$1 constraint\$1 factor\$1 requirement\$1 consideration \$1 restriction\$1) with ((session near1 (ID key identification)) (telephone near2 number) (transaction near2 (ID identification)))                               | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/03/08<br>12:23 |
| S37 | 274 | (Retriev\$3 fetch\$3 get\$4 obtain\$3 attain\$3 find\$3 acquir\$3) same ( stor\$3 sav \$3 previous database ) same (session call) same (Parameter\$1 limit\$1 constraint\$1 factor\$1 requirement\$1 consideration \$1 restriction\$1) with ((session near1 (ID key identification)) (telephone near2 number) (transaction near2 (ID identification))) | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/03/08<br>12:27 |
| S38 | 114 | S36 same S37   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/03/08<br>12:28 |
| S39 | 2   | ("20040073512").PN.  | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT                      | OR | OFF | 2009/03/08<br>12:51 |
| S40 | 2   | ("2004/0073512").URPN.   | USPAT   | OR | OFF | 2009/03/08<br>12:51 |

|     |    |   |   |    |     |                     |
|-----|----|---|---|----|-----|---------------------|
| S41 | 75 | (Retriev\$3 fetch\$3 get\$4 obtain\$3 attain\$3 find\$3 acquir\$3) same ( stor\$3 sav\$3 previous ) with (session call) with (Parameter\$1 limit \$1 constraint\$1 factor\$1 requirement\$1 consideration \$1 restriction\$1) with ((session near1 (ID key identification)) (telephone near2 number) (transaction near2 (ID identification)))                         | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/03/08<br>13:09 |
| S42 | 0  | (Retriev\$3 fetch\$3 get\$4 obtain\$3 attain\$3 find\$3 acquir\$3) same ( stor\$3 sav\$3 previous ) with (session call) with (Parameter\$1 limit \$1 constraint\$1 factor\$1 requirement\$1 consideration \$1 restriction\$1) with ((session near1 (ID key identification)) (telephone near2 number) (transaction near2 (ID identification))) same (call near2 setup) | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/03/08<br>13:09 |
| S43 | 4  | (Retriev\$3 fetch\$3 get\$4 obtain\$3 attain\$3 find\$3 acquir\$3) same ( stor\$3 sav\$3 previous ) with (session call) with (Parameter\$1 limit \$1 constraint\$1 factor\$1 requirement\$1 consideration \$1 restriction\$1) with ((session near1 (ID key identification)) (telephone near2 number) (transaction near2 (ID identification))) and (call near2 setup)  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/03/08<br>13:09 |
| S44 | 9  | (Retriev\$3 fetch\$3 get\$4 obtain\$3 attain\$3 find\$3 acquir\$3) same ( stor\$3 sav\$3 previous ) with (session call) with (Parameter\$1 limit \$1 constraint\$1 factor\$1 requirement\$1 consideration \$1 restriction\$1) same ((session near1 (ID key identification)) (telephone near2 number) (transaction near2 (ID identification))) and (call near2 setup)  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/03/08<br>13:13 |



|     |     |   |   |    |     |                     |
|-----|-----|---|---|----|-----|---------------------|
| S45 | 43  | (Retriev\$3 fetch\$3 get\$4 obtain\$3 attain\$3 find\$3 acquir\$3) same ( stor\$3 sav\$3 previous ) with (session call) same (Parameter\$1 limit\$1 constraint\$1 factor\$1 requirement\$1 consideration\$1 restriction\$1) same ((session near1 (ID key identification)) (telephone near2 number) (transaction near2 (ID identification))) and (call near2 setup)                                    | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/03/08<br>13:16 |
| S46 | 146 | (Retriev\$3 fetch\$3 get\$4 obtain\$3 attain\$3 find\$3 acquir\$3) same ( stor\$3 sav\$3 previous ) with (session call) same (Parameter\$1 limit\$1 constraint\$1 factor\$1 requirement\$1 consideration\$1 restriction\$1) same ((session near1 (ID key identification)) (telephone near2 number) (transaction near2 (ID identification))) and ((establish\$3 set\$4up) near2 (call\$3 session\$1))  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/03/08<br>13:21 |
| S47 | 15  | (Retriev\$3 fetch\$3 get\$4 obtain\$3 attain\$3 find\$3 acquir\$3) same ( stor\$3 sav\$3 previous ) with (session call) same (Parameter\$1 limit\$1 constraint\$1 factor\$1 requirement\$1 consideration\$1 restriction\$1) same ((session near1 (ID key identification)) (telephone near2 number) (transaction near2 (ID identification))) same ((establish\$3 set\$4up) near2 (call\$3 session\$1)) | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/03/08<br>13:21 |
| S48 | 44  | (Retriev\$3 fetch\$3 get\$4 obtain\$3 attain\$3 find\$3 acquir\$3) with ( stor\$3 sav\$3 previous ) with (session call) with (Parameter\$1 limit\$1 constraint\$1 factor\$1 requirement\$1 consideration\$1 restriction\$1) with ((session near1 (ID key identification)) (telephone near2 number) (transaction near2 (ID identification)))   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/03/08<br>13:29 |

|     |     |   |   |    |     |                     |
|-----|-----|---|---|----|-----|---------------------|
| S49 | 13  | (Determin\$3 decid\$3 find\$3 look\$3 search\$3 examin\$3 inspect\$3 resolv\$3) same (session call) same (Parameter\$1 limit\$1 constraint\$1 factor\$1 requirement\$1 consideration \$1 restriction\$1) with ((session near1 (ID identification)) (telephone near2 number) (transaction near2 (ID identification))) same (Retriev\$3 fetch\$3 get \$4 obtain\$3 attain\$3 find\$3 acquir\$3) same ( stor\$3 sav \$3 previous ) with (session call) with (Parameter\$1 limit \$1 constraint\$1 factor\$1 requirement\$1 consideration \$1 restriction\$1) with ((session near1 (ID key identification)) (telephone near2 number) (transaction near2 (ID identification))) | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/03/08<br>13:33 |
| S50 | 0   | (retriv\$3 and (session adj (ID IDENTIFICATION KEY )) and parameter\$1).ab.   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/03/08<br>13:36 |
| S51 | 0   | (retriv\$3 with (session adj (ID IDENTIFICATION KEY )) with parameter\$1).ab.   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/03/08<br>13:36 |
| S52 | 0   | (retriv\$3 and (call session ) and parameter\$1).ab.  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/03/08<br>13:37 |
| S53 | 56  | ((retriv\$3 fetch\$1 get\$4 ) and (call session ) and parameter\$1).ab.   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/03/08<br>13:37 |
| S54 | 914 | ((session near2 intiat\$5) (SIP))with (TELEPHONE NEAR NUMBER)   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/03/08<br>13:56 |

|     |    |   |   |    |     |                     |
|-----|----|---|---|----|-----|---------------------|
| S55 | 0  | ((session near2 intiat\$5)<br>(SIP))with (TELEPHONE<br>NEAR NUMBER) SAME<br>(Retriev\$3 fetch\$3 get\$4<br>obtain\$3 attain\$3 find\$3<br>acquir\$3) with ( stor\$3 sav\$3<br>previous ) with (session call)<br>with (Parameter\$1 limit\$1<br>constraint\$1 factor\$1<br>requirement\$1 consideration<br>\$1 restriction\$1) | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/03/08<br>13:57 |
| S56 | 3  | ((session near2 intiat\$5)<br>(SIP))with (TELEPHONE<br>NEAR NUMBER) AND(Retriev<br>\$3 fetch\$3 get\$4 obtain\$3<br>attain\$3 find\$3 acquir\$3)<br>with ( stor\$3 sav\$3<br>previous ) with (session call)<br>with (Parameter\$1 limit\$1<br>constraint\$1 factor\$1<br>requirement\$1 consideration<br>\$1 restriction\$1)  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/03/08<br>13:57 |
| S57 | 71 | ((session near2 intiat\$5)<br>(SIP))with (TELEPHONE<br>NEAR NUMBER) AND(Retriev<br>\$3 fetch\$3 get\$4 obtain\$3<br>attain\$3 find\$3 acquir\$3)<br>SAME ( stor\$3 sav\$3<br>previous ) SAME (session<br>call) SAME(Parameter\$1 limit<br>\$1 constraint\$1 factor\$1<br>requirement\$1 consideration<br>\$1 restriction\$1)  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/03/08<br>13:59 |
| S58 | 1  | ((session near2 intiat\$5)<br>(SIP))with (TELEPHONE<br>NEAR NUMBER) SAME<br>(Retriev\$3 fetch\$3 get\$4<br>obtain\$3 attain\$3 find\$3<br>acquir\$3)SAME ( stor\$3 sav<br>\$3 previous ) SAME (session<br>call) SAME(Parameter\$1 limit<br>\$1 constraint\$1 factor\$1<br>requirement\$1 consideration<br>\$1 restriction\$1) | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/03/08<br>13:59 |
| S59 | 91 | (Retriev\$3 fetch\$3 get\$4<br>obtain\$3 attain\$3 find\$3<br>acquir\$3)SAME ( stor\$3 sav<br>\$3 previous ) SAME (session<br>call) SAME(Parameter\$1 limit<br>\$1 constraint\$1 factor\$1<br>requirement\$1 consideration<br>\$1 restriction\$1) with<br>(telephone near1 number)  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/03/08<br>14:20 |

|     |     |  |   |    |     |                     |
|-----|-----|--|---|----|-----|---------------------|
| S60 | 20  | (Retriev\$3 fetch\$3 get\$4 obtain\$3 attain\$3 find\$3 acquir\$3) with ( stor\$3 sav\$3 previous ) with (session call) with (Parameter\$1 limit\$1 constraint\$1 factor\$1 requirement\$1 consideration \$1 restriction\$1) with (telephone near1 number) | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/03/08<br>14:21 |
| S61 | 33  | (match\$3 compar\$3 evaluat \$4 check\$3)with (telephone near1 number) with ( stor\$3 sav\$3 previous ) with (session call) with (Parameter \$1 limit\$1 constraint\$1 factor \$1 requirement\$1 consideration\$1 restriction\$1)                          | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/03/08<br>14:29 |
| S62 | 122 | (match\$3 compar\$3 evaluat \$4 check\$3)with (telephone near1 number) same ( stor\$3 sav\$3 previous ) same (session call) same (Parameter\$1 limit\$1 constraint\$1 factor\$1 requirement\$1 consideration \$1 restriction\$1)                           | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/03/08<br>14:33 |
| S63 | 914 | (call near set\$4up).ti.   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/03/08<br>14:40 |
| S64 | 0   | S63 and S37  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/03/08<br>14:40 |
| S65 | 2   | S63 and S36  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/03/08<br>14:41 |
| S66 | 9   | S63 and (Retriev\$3 fetch\$3 get\$4 obtain\$3 attain\$3 find \$3 acquir\$3) same ( stor\$3 sav\$3 previous ) same (session call) same (Parameter\$1 limit\$1 constraint\$1 factor\$1 requirement\$1 consideration \$1 restriction\$1)                      | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/03/08<br>14:44 |
| S67 | 2   | ("20050165984").PN.  | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT                      | OR | OFF | 2009/03/09<br>13:42 |
| S68 | 0   | ("2005/0165984").URPN.   | USPAT   | OR | OFF | 2009/03/09<br>13:43 |

|     |      |   |   |    |     |                     |
|-----|------|---|---|----|-----|---------------------|
| S69 | 0    | (703/404).CCLS.   | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT                      | OR | OFF | 2009/03/09<br>13:48 |
| S70 | 183  | (705/404).CCLS.   | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT                      | OR | OFF | 2009/03/09<br>13:48 |
| S71 | 2230 | reduc\$3 same (delay\$2 late<br>\$4) same (establish\$3 set\$5)<br>same (call session)  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/03/09<br>16:02 |
| S72 | 1702 | S71 and( (session near2 (id<br>identification identifier key))<br>(phone adj number)(terminal<br>(id identifier identification)))   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/03/09<br>16:04 |
| S73 | 269  | S72 and (ITU "H.324")   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/03/09<br>16:04 |
| S74 | 2    | ("20040125760").PN.   | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT                      | OR | OFF | 2009/03/09<br>16:17 |
| S75 | 1    | ("2004/0125760").URPN.  | USPAT   | OR | OFF | 2009/03/09<br>16:18 |
| S76 | 2    | ("20030214573").PN.   | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT                      | OR | OFF | 2009/03/09<br>16:31 |
| S77 | 2    | ("6914964").PN.   | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT                      | OR | OFF | 2009/03/09<br>16:39 |
| S78 | 20   | ("5475733"   "5680443"  <br>"5745550"   "5787148"  <br>"5875422"   "5917888"  <br>"6076121"   "6308087"  <br>"6324280"   "6370498"  <br>"6477494"   "6510206"  <br>"6668043"   "6763089").PN.<br>OR ("6914964").URPN. | US-PGPUB;<br>USPAT; USOCR                                     | OR | OFF | 2009/03/09<br>16:41 |
| S79 | 4    | ("7206316").PN.   | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT                      | OR | OFF | 2009/03/09<br>16:55 |
| S80 | 2    | ("20040114532").PN.   | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT                      | OR | OFF | 2009/03/09<br>17:01 |

|     |     |   |   |    |     |                     |
|-----|-----|---|---|----|-----|---------------------|
| S81 | 7   | ((SIP (session near1 Initiation )) near2 (parameter \$1 limitation\$1 factor\$1 requirement\$1)) with ((telephone near2 number) (phone near1 number) (terminal near1 (ID identification identifier)) (session near1 (ID identification identifier)))  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/03/09<br>17:12 |
| S82 | 2   | ("20030076815").PN.   | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT                      | OR | OFF | 2009/03/09<br>17:15 |
| S83 | 29  | ((SIP (session near1 Initiation )) near2 (parameter \$1 limitation\$1 factor\$1 requirement\$1)) same ((telephone near2 number) (phone near1 number) (terminal near1 (ID identification identifier)) (session near1 (ID identification identifier)))  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/03/09<br>17:19 |
| S84 | 476 | (stor\$3 sav\$3 memor\$5 buffer \$3 database) same ((SIP call (session near1 Initiation )) with (parameter\$1 limitation \$1 factor\$1 requirement\$1)) with ((telephone near2 number) (phone near1 number) (terminal near1 (ID identification identifier)) (session near1 (ID identification identifier))) | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/03/09<br>17:25 |
| S85 | 259 | (stor\$3 sav\$3 memor\$5 buffer \$3 database) with ((SIP call (session near1 Initiation )) with (parameter\$1 limitation \$1 factor\$1 requirement\$1)) with ((telephone near2 number) (phone near1 number) (terminal near1 (ID identification identifier)) (session near1 (ID identification identifier))) | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/03/09<br>17:26 |

|     |       |  |   |    |     |                  |
|-----|-------|--|---|----|-----|------------------|
| S86 | 15    | (stor\$3 sav\$3 memor\$5 buffer\$3 database) with ((SIP call (session near1 Initiation )) with (parameter\$1 limitation \$1 factor\$1 requirement\$1)) with ((telephone near2 number) (phone near1 number) (terminal near1 (ID identification identifier)) (session near1 (ID identification identifier))) same ((set\$3up establish\$3) near2 (call session)) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/09 17:27 |
| S87 | 2     | ("20050143056").PN.  | US-PGPUB; USPAT; EPO; JPO; DERWENT                | OR | OFF | 2009/03/09 17:29 |
| S88 | 2     | ("20020025816").PN.  | US-PGPUB; USPAT; EPO; JPO; DERWENT                | OR | OFF | 2009/03/09 18:35 |
| S89 | 2     | ("6192248").PN.  | US-PGPUB; USPAT; EPO; JPO; DERWENT                | OR | OFF | 2009/03/09 18:36 |
| S90 | 3     | ("6556824").PN.  | US-PGPUB; USPAT; EPO; JPO; DERWENT                | OR | OFF | 2009/03/09 18:39 |
| S91 | 9187  | (370/352-356).OCLS.  | US-PGPUB; USPAT; EPO; JPO; DERWENT                | OR | OFF | 2009/03/09 19:22 |
| S92 | 4     | S91 and (Retriev\$3 fetch\$3 get\$4 obtain\$3 attain\$3 find \$3 acquir\$3) same ( stor\$3 sav\$3 previous ) with (session call) with (Parameter \$1 limit\$1 constraint\$1 factor \$1 requirement\$1 consideration\$1 restriction\$1) with ((session near1 (ID key identification)) (telephone near2 number) (transaction near2 (ID identification)) )        | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/09 19:23 |
| S93 | 10891 | (709/227-229).OCLS.  | US-PGPUB; USPAT; EPO; JPO; DERWENT                | OR | OFF | 2009/03/09 19:36 |
| S94 | 1     | S93 and (Retriev\$3 fetch\$3 get\$4 obtain\$3 attain\$3 find \$3 acquir\$3) same ( stor\$3 sav\$3 previous ) with (session call) with (Parameter \$1 limit\$1 constraint\$1 factor \$1 requirement\$1 consideration\$1 restriction\$1) with ((session near1 (ID key identification)) (telephone near2 number) (transaction near2 (ID identification)) )        | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/09 19:37 |

|      |     |  |   |    |     |                     |
|------|-----|--|---|----|-----|---------------------|
| S95  | 3   | S93 and (Retriev\$3 fetch\$3 get\$4 obtain\$3 attain\$3 find \$3 acquir\$3) same ( stor\$3 sav\$3 previous database) with (session call) with (Parameter\$1 limit\$1 constraint\$1 factor\$1 requirement\$1 consideration \$1 restriction\$1) same ((session near1 (ID key identification)) (telephone near2 number) (transaction near2 (ID identification)) ) | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/03/09<br>19:38 |
| S96  | 5   | S93 and (Retriev\$3 fetch\$3 get\$4 obtain\$3 attain\$3 find \$3 acquir\$3) same ( stor\$3 sav\$3 previous database) same (session call) with (Parameter\$1 limit\$1 constraint\$1 factor\$1 requirement\$1 consideration \$1 restriction\$1) same ((session near1 (ID key identification)) (telephone near2 number) (transaction near2 (ID identification)) ) | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/03/09<br>19:39 |
| S97  | 173 | S93 and (Retriev\$3 fetch\$3 get\$4 obtain\$3 attain\$3 find \$3 acquir\$3) same ( stor\$3 sav\$3 previous database) same (session call) with (Parameter\$1 limit\$1 constraint\$1 factor\$1 requirement\$1 consideration \$1 restriction\$1)  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/03/09<br>19:41 |
| S98  | 12  | ("20010033188"   "5689195"   "5909126"   "6215326"   "6407576"   "6650140").PN.  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2009/03/10<br>12:07 |
| S99  | 32  | (terminal node end\$1point ) near2 (stor\$3 sav\$3 database memory) near3 (session transaction call set\$3up) near3 parameter  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2009/03/10<br>17:25 |
| S100 | 206 | ((terminal node end\$1point ) near2 (stor\$3 sav\$3 database memory)) same ((session transaction call set\$3up) near3 parameter)   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2009/03/10<br>17:42 |
| S101 | 154 | ((terminal node end\$1point ) near2 (stor\$3 sav\$3 database memory)) same ((session call set\$3up) near3 parameter)   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2009/03/10<br>17:43 |



|      |       |   |   |    |     |                     |
|------|-------|---|---|----|-----|---------------------|
| S102 | 128   | ((terminal node end\$1point ) near2 (stor\$3 sav\$3 database )) same ((session call set\$3up) near3 parameter)  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2009/03/10<br>17:43 |
| S103 | 2     | ("20030236892").PN.   | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT                      | OR | OFF | 2009/03/10<br>17:46 |
| S104 | 2     | ("20030026245").PN.   | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT                      | OR | OFF | 2009/03/10<br>17:53 |
| S105 | 24145 | (message call SIP) near2 (set \$1up establish\$&)   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/03/10<br>18:58 |
| S106 | 0     | ((message call SIP) near2 (set \$1up establish\$&))same (previous near2 parameter)  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/03/10<br>18:59 |
| S107 | 50    | ((message call SIP) near2 (set \$1up establish\$&))same (previous same parameter)   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/03/10<br>18:59 |
| S108 | 4     | (sav\$3 stor\$3 memory database) near3 ((message call SIP) near2 (set\$1up establish\$&))same ( parameter) with (terminal node end\$1point )  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/03/10<br>19:25 |
| S109 | 12    | (sav\$3 stor\$3 memory database) near3 ((message call SIP) near2 (set\$1up establish\$&))same ( parameter) same (terminal node end\$1point )  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/03/10<br>19:30 |
| S110 | 13    | (sav\$3 stor\$3 memory database) near3 ((message call SIP) near2 (set\$1up establish\$&))same ( parameter) same ((TELEPHONE NEAR NUMBER) ((terminal node end \$1point ) near (ID IDENTIFICATION IDENTIFIER))) | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/03/10<br>19:34 |

|      |     |  |   |    |     |                  |
|------|-----|--|---|----|-----|------------------|
| S111 | 37  | (sav\$3 stor\$3 memory database) SAME((message call SIP near2 (set\$1up establish\$&))same ( parameter) same ((TELEPHONE NEAR NUMBER) ((terminal node end \$1point ) near (ID IDENTIFICATION IDENTIFIER))) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/10 19:36 |
| S112 | 546 | (sav\$3 stor\$3 memory database) SAME ( parameter) WITH((TELEPHONE NEAR NUMBER) ((terminal node end \$1point ) near (ID IDENTIFICATION IDENTIFIER)))   | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/10 19:45 |
| S113 | 103 | (sav\$3 stor\$3 memory database) NEAR ( parameter) WITH((TELEPHONE NEAR NUMBER) ((terminal node end \$1point ) near (ID IDENTIFICATION IDENTIFIER)))   | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/10 19:46 |
| S114 | 103 | ((sav\$3 stor\$3 memory database) NEAR ( parameter)) WITH ((TELEPHONE NEAR NUMBER) ((terminal node end \$1point ) near (ID IDENTIFICATION IDENTIFIER)))  | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/10 19:46 |
| S115 | 9   | ((sav\$3 stor\$3 memory database) NEAR ( parameter)) NEAR1 ((TELEPHONE NEAR NUMBER) ((terminal node end \$1point ) near (ID IDENTIFICATION IDENTIFIER)))   | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/10 19:46 |
| S116 | 103 | ((sav\$3 stor\$3 memory database) NEAR ( parameter)) WITH ((TELEPHONE NEAR NUMBER) ((terminal node end \$1point ) near (ID IDENTIFICATION IDENTIFIER)))  | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/10 19:48 |

|      |     |  |   |    |     |                  |
|------|-----|--|---|----|-----|------------------|
| S117 | 27  | ((sav\$3 stor\$3 memory database) NEAR ( parameter)) WITH ((TELEPHONE NEAR NUMBER) ((terminal node end \$1point ) near (ID IDENTIFICATION IDENTIFIER))) SAME (SESSION CALL SET\$1UP) | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/10 19:48 |
| S118 | 509 | (( parameter)) WITH ((TELEPHONE NEAR NUMBER) ((terminal node end \$1point ) near (ID IDENTIFICATION IDENTIFIER))) SAME (SESSION CALL SET\$1UP)                                       | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/10 19:57 |
| S119 | 30  | (( (SESSION CALL SET\$1UP) NEAR ( parameter)) WITH ((TELEPHONE NEAR NUMBER) ((terminal node end \$1point ) near (ID IDENTIFICATION IDENTIFIER)))                                     | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/10 19:57 |
| S120 | 23  | (( (SESSION CALL SET\$1UP) NEAR ( parameter)) WITH ((TELEPHONE NEAR NUMBER))   | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/10 20:15 |
| S121 | 0   | (table entr\$3 database storage stor\$3 sav\$3) near (( (SESSION CALL SET\$1UP) NEAR ( parameter)) WITH ((TELEPHONE NEAR NUMBER))  | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/10 20:18 |
| S122 | 0   | (table entr\$3 database storage stor\$3 sav\$3) near (( (SESSION CALL SET\$1UP) NEAR ( parameter)) same ((TELEPHONE NEAR NUMBER))  | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/10 20:18 |
| S123 | 109 | (table entr\$3 database storage stor\$3 sav\$3) near (( parameter)) same ((TELEPHONE NEAR NUMBER))   | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/03/10 20:18 |
| S124 | 140 | ((sav\$3 stor\$3 database) near1 (parameter)) with (node terminal telephone end \$1point) near (ID indetifier identification number)   | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON  | 2009/03/10 21:32 |

|      |      |   |   |    |     |                     |
|------|------|---|---|----|-----|---------------------|
| S125 | 42   | ((sav\$3 stor\$3 database) near1 (parameter)) with (node terminal telephone end \$1point) near (ID indetifier identification number) same (session call setup)  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2009/03/10<br>21:33 |
| S126 | 2    | ("7065070").PN.   | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT                      | OR | OFF | 2009/03/10<br>21:36 |
| S127 | 1348 | "h.245"   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2009/03/11<br>11:24 |
| S128 | 1    | S127 and (Retriev\$3 fetch\$3 get\$4 obtain\$3 attain\$3 find \$3 acquir\$3)SAME ( stor\$3 sav\$3 previous ) SAME (session call) SAME(Parameter \$1 limit\$1 constraint\$1 factor \$1 requirement\$1 consideration\$1 restriction\$1) with (telephone near1 number) | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/03/11<br>11:25 |
| S129 | 52   | S127 and (Retriev\$3 fetch\$3 get\$4 obtain\$3 attain\$3 find \$3 acquir\$3)SAME ( stor\$3 sav\$3 previous ) SAME (session call) SAME(Parameter \$1 limit\$1 constraint\$1 factor \$1 requirement\$1 consideration\$1 restriction\$1)                               | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/03/11<br>12:06 |
| S130 | 2    | ("5420867").PN.   | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT                      | OR | OFF | 2009/03/11<br>12:13 |
| S131 | 24   | ("20020075880"   "20020159442"   "5867562"   "6622016"   "6711417"   "6845092"   "6888803"   "6910074"   "7043241"   "7072653"   "7184418"   "7356001").PN.   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/03/11<br>13:09 |
| S132 | 13   | S131 AND (sip)  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/03/11<br>13:10 |
| S133 | 972  | ((primary second\$3) near2 (parameter) near2 (ID IDENTIFICATION NUMBER KEY))  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/03/11<br>13:23 |

|      |      |  |   |    |     |                     |
|------|------|--|---|----|-----|---------------------|
| S134 | 93   | ((primary second\$3) near2 (parameter) near2 (ID IDENTIFICATION NUMBER KEY))SAME (CALL SESSION SIP SETUP)        | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/03/11<br>13:23 |
| S135 | 73   | ((parameter) near2 (primary second\$3) near2 (ID IDENTIFICATION NUMBER )) SAME (CALL SESSION SIP SETUP)          | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/03/11<br>13:41 |
| S136 | 54   | ((primary second\$3) near2 (ID IDENTIFICATION NUMBER ))SAME (CALL SESSION SIP SETUP) NEAR2 (parameter)           | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/03/11<br>13:42 |
| S137 | 1348 | "h.245"  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/03/11<br>14:10 |
| S138 | 15   | S137 and (parameter with (telephone near1 (number ID IDENTIFICATION)))   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/03/11<br>14:11 |
| S139 | 2    | ("20070130301").PN.  | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT                      | OR | OFF | 2009/03/11<br>14:15 |
| S140 | 1    | S139 and (paired \$1redundancy)  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/03/11<br>14:16 |
| S141 | 537  | (370/278).CCLS.  | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT                      | OR | OFF | 2009/03/11<br>18:01 |
| S142 | 1    | S141 and (((session call SIP message) near2 parameter) with (ID identification identifier (phone near1 number))) | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/03/11<br>18:02 |
| S143 | 2    | S141 and (((session call SIP message) near2 parameter) same (ID identification identifier (phone near1 number))) | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/03/11<br>18:02 |
| S144 | 237  | (370/277).CCLS.  | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT                      | OR | OFF | 2009/03/11<br>18:03 |

|      |      |  |   |    |     |                     |
|------|------|--|---|----|-----|---------------------|
| S145 | 0    | S144 and (((session call SIP message) near2 parameter) same (ID identification identifier (phone near1 number))) | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/03/11<br>18:03 |
| S146 | 1    | S144 and (((session call SIP message) same parameter) same (ID identification identifier (phone near1 number)))  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/03/11<br>18:04 |
| S147 | 3    | S144 and (( parameter) same (ID identification identifier (phone near1 number)))                                 | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/03/11<br>18:04 |
| S148 | 354  | (370/261).OCLS.  | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT                      | OR | OFF | 2009/03/11<br>18:05 |
| S149 | 27   | S148 and (( parameter) same (ID identification identifier (phone near1 number)))                                 | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/03/11<br>18:06 |
| S150 | 2    | ("6553108").PN.  | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT                      | OR | OFF | 2009/03/11<br>18:14 |
| S151 | 2520 | (370/230).OCLS.  | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT                      | OR | OFF | 2009/03/12<br>07:44 |
| S152 | 11   | S151 and ((SIP call session) same (stor\$3 sav\$3 previous) near2 (parameter))                                   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/03/12<br>07:46 |
| S153 | 5036 | (370/252).OCLS.  | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT                      | OR | OFF | 2009/03/12<br>07:49 |
| S154 | 16   | S153 and ((SIP call session) same (stor\$3 sav\$3 previous) near2 (parameter))                                   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/03/12<br>07:49 |
| S155 | 354  | (370/261).OCLS.  | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT                      | OR | OFF | 2009/03/12<br>07:51 |
| S156 | 1    | S155 and ((SIP call session) same (stor\$3 sav\$3 previous) near2 (parameter))                                   | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/03/12<br>07:51 |

|      |     |  |   |    |     |                     |
|------|-----|--|---|----|-----|---------------------|
| S157 | 406 | 370/271  | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/03/12<br>07:52 |
| S158 | 3   | S157 and ((SIP call session)<br>same (stor\$3 sav\$3 previous)<br>near2 (parameter)) | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/03/12<br>07:52 |
| S159 | 537 | (370/278).CCLS.  | US-PGPUB;<br>USPAT; EPO;<br>JPO; DERWENT                      | OR | OFF | 2009/03/12<br>07:52 |
| S160 | 2   | S159 and ((SIP call session)<br>same (stor\$3 sav\$3 previous)<br>near2 (parameter)) | US-PGPUB;<br>USPAT; FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/03/12<br>07:52 |

**3/ 12/ 2009 7:55:16 PM**

**C:\ Documents and Settings\ zbeyen\ My Documents\ EAST\ Workspaces\ 10581320.wsp**